

R261 SUPER POWER CRANBERRY AIR FRESHENER

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: R261 SUPER POWER CRANBERRY AIR FRESHENER

Article number: CODE R261

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: Tygris Industrial

Unit 31

Kyle Road Industrial Estate

Irvine Ayshire KA12 8LE

Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115

Email technical@tygrisindustrial.com

Further information obtainable from:

Technical Department

1.4. Emergency telephone

number

Tel +44 (0) 1294 311 066

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to F+; R12 R52/53

Directive 1999/45/EC Symbols: F+: Extremely flammable.

2.2. Label elements

Symbols F+: Extremely flammable.



2.3. Other hazards P251 - Pressurized container: Do not pierce or burn, even after use.

P412 - Do not expose to temperatures exceeding 50°C/ 122°F.



R261 SUPER POWER CRANBERRY AIR FRESHENER

3. Composition/information on ingredients

3.2. Mixtures

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	30-40%	F; R11
Butane	601-004-00-0	106-97-8	203-448-7		30-40%	F+; R12
Propane	601-003-00-5	74-98-6	200-827-9		30-40%	F+; R12
Methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	1-10%	F; R11 T; R23/24/25- 39/23/24/25
Wild Lemon Fragrance PN786918					0.5-1%	Xn; R65 Xi; R38-43 N; R50/53 R10

4. First aid measures

4.1. Description of first aid measures

After inhalation: Move the exposed person to fresh air.

After eye contact: Rinse immediately with plenty of water for 15 minutes holding the eyelids open.

After skin contact: Wash off immediately with plenty of soap and water. Remove contaminated

clothing.

After swallowing: DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation: May cause irritation to respiratory system.

After eye contact: May cause irritation to eyes.

After skin contact: May cause irritation to skin.

After swallowing: May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

After inhalation:Seek medical attention if irritation or symptoms persist.After eye contact:Seek medical attention if irritation or symptoms persist.After skin contact:Seek medical attention if irritation or symptoms persist.After swallowing:Seek medical attention if irritation or symptoms persist.

5. Firefighting measures

5.1. Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or

mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters Wear suitable respiratory equipment when necessary.

Compilation Date: 04/12/2013 Page 2 of 6



R261 SUPER POWER CRANBERRY AIR FRESHENER

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 8 and 13 for further information.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

7.3. Specific end use(s) No data is available on this product.

8. Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values Butane

WEL () Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm

Ethanol

WEL () Short-term value: - mg/m³, - ppm

Long-term value: 1920 mg/m³, 1000 ppm

Methanol

WEL () Short-term value: 333 mg/m³, 250 ppm

Long-term value: 266 mg/m³, 200 ppm

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation of the working area

Individual protection measures:

Wear protective clothing

Eye / face protection:

In case of splashing, wear:. Approved safety goggles.

Skin protection - Handprotection:

Chemical resistant gloves (PVC).



R261 SUPER POWER CRANBERRY AIR FRESHENER

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Form: Aerosol

Colour: Clear

Odour: Characteristic

9.2. Other information

Specific gravity 0.8 g/cm³

10. Stability and reactivity

10.1. Reactivity No data available

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of

hazardous reactions

No data available

10.4. Conditions to avoid No data available

10.5. Incompatible materials No data available

10.6. Hazardous

decomposition products

Burning produces obnoxious and irritating fumes

11. Toxicological information

11.1.4. Toxicological

Information

No data available

12. Ecological information

12.1. Toxicity No data available

12.2. Persistence and

degradability

No data is available on this product

12.3. Bioaccumulative

potential

No data is available on this product

12.4. Mobility in soilNo data is available on this product

12.5. Results of PBT and

vPvB assessment

No data available

12.6. Other adverse effects No data available

13. Disposal considerations

General information Dispose of in compliance with all local and national regulations

Disposal methods Contact a licensed waste disposal company

Disposal of packagingDo NOT reuse empty containers. Empty containers can be sent for disposal or

recycling



R261 SUPER POWER CRANBERRY AIR FRESHENER

14. Transport information

Hazard pictograms



14.1. UN number UN1950

14.2. UN proper shipping

name

AEROSOLS

14.3. Transport hazard class(es)

ADR/RID 2

Subsidiary risk see SP63

IMDG 2

Subsidiary risk see SP63

IATA 2

Subsidiary risk see SP63

14.4. Packing group

Environmental hazards: No **Marine Pollutant** No

ADR/RID

Hazard ID – Tunnel Category (D)

IMDG

EmS Code F-D S-U

IATA

Packing Instruction (Cargo)203Maximum quantity150 kgPacking Instruction203

(Passenger)

Maximum quantity 75 kg

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF

93/67/EEC, 93/105/EC and 2000/21/EC.



R261 SUPER POWER CRANBERRY AIR FRESHENER

16. Other information

Text of risk phrases in Section 3

R10 - Flammable

R11 - Highly flammable.

R12 - Extremely flammable.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R38 - Irritating to skin.

R39/23/24/25 - Toxic: danger of very serious irreversible effects through

inhalation, in contact with skin and if swallowed. R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination

with any other materials or in any other process.